

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSENDER FOR PATENTS PO Box 1430 Alexandria, Virginia 22313-1450 www.wopto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10/574,745	04/06/2006	Suraj Shivappa Shetty	PC/4-33421A	2533	
1095 NOVARTIS				EXAMINER	
CORPORATE INTELLECTUAL PROPERTY ONE HEALTH PLAZA 104/3 EAST HANOVER. NJ 07936-1080			JEAN-LOUIS, SAMIRA JM		
			ART UNIT	PAPER NUMBER	
	,		1617		
			MAIL DATE	DELIVERY MODE	
			09/30/2008	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) 10/574,745 SHETTY ET AL. Office Action Summary Examiner Art Unit SAMIRA JEAN-LOUIS 1617 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-17 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed.

Application Papers

9) The specification is objected to by the Examiner.

8) Claim(s) 1-17 are subject to restriction and/or election requirement.

10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

6) Claim(s) _____ is/are rejected 7) Claim(s) is/are objected to.

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
 Certified copies of the priority documents have been received.

2. Certified copies of the priority documents have been received in Application No.

 Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)		
1) Notice of References Cited (PTO-892)	4) Interview Summary (PTO-413)	
Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Date	
3). Information Disclosure Statement(s) (FTO/SE/08)	 Notice of Informal Patent Application 	
Paner No/s VMail Date	6) Other: .	

Paper No(s)/Mail Date _

Election/Restrictions

Claims 16-17 provide for the use of a combination according to claim 1 for the manufacture of a medicament for the treatment or prevention of a condition or disease delineated in claims 16-17, but, since the claims do not set forth any steps involved in the method/process, it is unclear what method/process applicant is intending to claim. Given that these claims may have dual interpretation either as a method of using or as a method of making or preparing, these claims are being interpreted herein as optionally both a method of making and a method of treating.

Restriction is required under 35 U.S.C. 121 and 372.

This application contains the following inventions or groups of inventions, which are not so linked as to form a single general inventive concept under PCT Rule 13.1.

In accordance with 37 CFR 1.499, applicant is required, in reply to this action, to elect a single invention to which the claims must be restricted.

- I. Group I, claims 1-11 and 13-15 are drawn to a combination comprising 1) an aldosterone receptor antagonist or a pharmaceutically acceptable salt thereof, 2) a diuretic or a pharmaceutically acceptable salt thereof, and optionally an angiotensin receptor blocker (ARB) or a pharmaceutically acceptable salt thereof.
- II. Group II, claims 12 and 16-17 are drawn to a method of treatment or prevention of a condition or disease selected from the group delineated in claim 12, comprising administering a therapeutically effective amount of a combination of 1) an

Application/Control Number: 10/574,745

Art Unit: 1617

aldosterone receptor antagonist or a pharmaceutically acceptable salt thereof, 2) a diuretic or a pharmaceutically acceptable salt thereof, and optionally an angiotensin receptor blocker (ARB) or a pharmaceutically acceptable salt thereof, or where appropriate, a pharmaceutically acceptable salt thereof and a pharmaceutically acceptable carrier to a mammal in need of such treatment.

III. Group III, claims 16-17 are drawn to the method for preparing a medicament for the treatment or prevention of a condition or disease selected from the group delineated in claims 16-17, comprising administering a combination according to claim 1.

The inventions listed as Groups I, II and III do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features.

An international application should relate to only one invention or, if there is more than one invention, the inclusion of those inventions in one international application is only permitted if all inventions are so linked as to form a single general inventive concept (PCT Rule 13.1). With respect to a group of inventions claimed in an international application, unity of invention exists only when there is a technical relationship among the claimed inventions involving one or more of the same or corresponding special technical features.

The expression "special technical features" is defined in PCT Rule 13.2 as meaning those technical features that define a contribution which each of the

Application/Control Number: 10/574,745 Page 4

Art Unit: 1617

inventions, considered as a whole, makes over the prior art. The determination is made on the contents of the claims as interpreted in light of the description and drawings. Whether or not any specific technical feature makes a "contribution" over the prior art, and therefore constitutes a "special technical feature", should be considered with respect to novelty and inventive step.

In this instant application, the common technical feature in all groups is the combination of an aldosterone receptor antagonist and a diuretic or pharmaceutically acceptable salts thereof. This combination cannot be said to be a special technical feature under PCT Rule 13.2 because such combination is shown in the prior art.

In this case, Alexander et al. (US Patent 6,653,306, cited by applicant and filed on an IDS 1449) teach combination therapy consisting essentially of three active agents, namely angiotensin II antagonist, an aldosterone receptor antagonist and a diuretic (see col. 5, lines 10-12). As a result, no special technical features exist among the different groups because the inventions in Groups I, II and III fail to make a contribution over the prior art with respect to novelty and inventive step. In conclusion, there is a lack of unity of inventions, and therefore restriction for examination purposes as indicated is proper.

Species Election

Application/Control Number: 10/574,745 Page 5

Art Unit: 1617

This application contains claims directed to more than one species of the generic invention. These species either possess divergent structures and/or chemical and physical properties (various species of aldosterone receptor antagonists and diuretic. Thus, these species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species listed below do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same special technical

feature among the different species.

The species are as follows:

For all applicable Groups:

- a) Applicant is required to elect a particular aldosterone receptor antagonist and a particular diuretic to be used in the combination of group I. Alternatively, applicant may elect a particular aldosterone and a particular diuretic listed in claims 2 or 8.
- b) The recitation of claims 1, 7, and 12-13 indicates that the combination may further entail additional components. Applicant is therefore required to elect the presence or absence of additional components (i.e. angiotensin receptor blocker or ARB). If the presence of ARB is elected, then applicant is further required to elect the particular ARB to be included in the combination listed in claims 2 or 8.

Art Unit: 1617

c) Applicant is required to elect a particular disease or condition to be treated in the method of group II. Alternatively, applicant may elect a particular disease or condition listed in claims 12, 16, or 17.

Applicant is required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

The following claims 1-17 are generic.

The examiner has required restriction between product and process claims.

Where applicant elects claims directed to the product, and the product claims are subsequently found allowable, withdrawn process claims that depend from or otherwise require all the limitations of the allowable product claim will be considered for rejoinder.

All claims directed to a nonelected process invention must require all the limitations of an allowable product claim for that process invention to be rejoined.

Application/Control Number: 10/574,745

Art Unit: 1617

In the event of rejoinder, the requirement for restriction between the product claims and the rejoined process claims will be withdrawn, and the rejoined process claims will be fully examined for patentability in accordance with 37 CFR 1.104. Thus, to be allowable, the rejoined claims must meet all criteria for patentability including the requirements of 35 U.S.C. 101, 102, 103 and 112. Until all claims to the elected product are found allowable, an otherwise proper restriction requirement between product claims and process claims may be maintained. Withdrawn process claims that are not commensurate in scope with an allowable product claim will not be rejoined. See MPEP § 821.04(b). Additionally, in order to retain the right to rejoinder in accordance with the above policy, applicant is advised that the process claims should be amended during prosecution to require the limitations of the product claims. Failure to do so may result in a loss of the right to rejoinder. Further, note that the prohibition against double patenting rejections of 35 U.S.C. 121 does not apply where the restriction requirement is withdrawn by the examiner before the patent issues. See MPEP § 804.01.

Applicant is also reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

No telephone call was made due to the complexity of the election/restriction.

Application/Control Number: 10/574,745

Art Unit: 1617

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Samira Jean-Louis whose telephone number is 571-270-3503. The examiner can normally be reached on 7:30-5 PM EST M-Th.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sreeni Padmanabhan can be reached on 571-272-0629. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/S. J. L. /

Examiner, Art Unit 1617

09/25/08

/SREENI PADMANABHAN/

Supervisory Patent Examiner, Art Unit 1617